

according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009

Revision date 26. April 2018 Version 1.06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Silicon Oil aerosol

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

mixture's intended use isolation, lubrication, sealed

Disapproved uses of mixture The product should not be used in ways other then those

referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name AG TermoPasty Grzegorz Gąsowski Address Kolejowa 33 E, Sokoły, 18-218

Poland

 Identification number (ID)
 200133730

 VAT Reg No
 9661767714

 Phone
 862741342

E-mail biuro@termopasty.pl Web address www.termopasty.pl

Competent person responsible for the safety data sheet

Name AG TermoPasty Grzegorz Gąsowski

E-mail biuro@termopasty.pl

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Substance or mixture classification

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H222, H229 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

Most serious adverse effects on human health and the environment

May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Causes skin irritation. Suspected of damaging fertility. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram







Signal word

Danger

Hazardous substances

n-hexane



according to Regulation (EC) No 1907/2006 (REACH) as amended

~:.				
	ICAN	711	aeros	\sim
311	ICUII	VII	acius	v

Creation date	26. April 2009		
Revision date	26. April 2018	Version	1.06

Hazard	staten	nents
--------	--------	--------------

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a.

P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	27,5	Flam. Gas 1, H220	2
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	26,12	Flam. Gas 1, H220	1, 2, 4
Index: 601-037-00-0 CAS: 110-54-3 EC: 203-777-6	n-hexane	7,2-36	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 2, H411 Specific concentration limit: STOT RE 2, H373: C ≥ 5 %	3
Index: 601-017-00-1 CAS: 110-82-7 EC: 203-806-2	cyclohexane	<1,8	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3, 4

Notes

1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009 Revision date 26. April 2018

1.06 Version

When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

- Substance for which exposure limits of Community for working environment exist.
- The use of the substance is restricted by Annex XVII of REACH Regulation.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

Inhalation

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

DO NOT INDUCE VOMITING! If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Cough, headache.

Skin contact

Causes skin irritation.

Eye contact

When intruding eyes, it can evoke irritation.

Ingestion

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009

Revision date 26. April 2018 Version 1.06

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale gases and vapours. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale gases and vapours. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Obtain special instructions before use. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding $50\,^{\circ}\text{C}$.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Substance name (component)	Туре	Time of exposure	Value	Note	Source
n-hexane (CAS: 110-54-3)	OEL	8 hours	72 mg/m ³		Elllimite
II-liexaile (CAS: 110-54-3)	OEL	8 hours	20 ppm		EU limits
ovelebovene (CAC: 110.93.7)	OEL	8 hours	700 mg/m ³		CII limaika
cyclohexane (CAS: 110-82-7)	OEL	8 hours	200 ppm		EU limits



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009

Revision date 26. April 2018 Version 1.06

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	WEL	8 hours	1450 mg/m ³		
hutana (CAS, 106, 07, 9)	WEL	15 minutes	1810 mg/m ³		CDD
butane (CAS: 106-97-8)	WEL	8 hours	600 ppm		GBR
	WEL	15 minutes	750 ppm		
n hoveno (CAS, 110 E4 3)	WEL	8 hours	72 mg/m ³		CDD
n-hexane (CAS: 110-54-3)	WEL	8 hours	20 ppm		GBR
	WEL	8 hours	350 mg/m ³		
cyclohexane (CAS: 110-82-7)	WEL	15 minutes	1050 mg/m ³		GBR
	WEL	8 hours	100 ppm		
	WEL	15 minutes	300 ppm		

8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eve/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Respirator.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Physical state gas at 20°C color transparent Odour data not available Odour threshold data not available data not available Melting point/freezing point data not available Initial boiling point and boiling range data not available Flash point data not available Evaporation rate non-applicable

Extremely flammable aerosol. Flammability (solid, gas)

Upper/lower flammability or explosive limits

data not available flammability limits data not available explosive limits Vapour pressure data not available Vapour density data not available Relative density data not available

Solubility(ies)

solubility in water brak danych nierozpuszczalny

solubility in fats not available Partition coefficient: n-octanol/water data not available



1.06

according to Regulation (EC) No 1907/2006 (REACH) as amended

~:	•	- • • •	
	IICOD	7 111	aerosol
211	IICOII	VII	aciusui

Creation date 26. April 2009
Revision date 26. April 2018 Version

Auto-ignition temperature data not available
Decomposition temperature data not available
Viscosity data not available
Explosive properties data not available
Oxidising properties data not available

9.2. Other information

Density 0.74 g/cm³ ignition temperature data not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

cyclohexane

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	12000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	>18000 mg/kg		Rabbit	

n-hexane

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	28700 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	3295 mg/kg		Rabbit	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009

Revision date 26. April 2018 Version 1.06

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Suspected of damaging fertility.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

May be fatal if swallowed and enters airways. Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

n-hexane

Parameter	Value	Time of exposure	Species	Environment
LC50	3900 mg/ml	48 hour	Invertebrates (Daphnia magna)	
NOEL	30000 mg/ml	72 hour	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
LC50	>1000 µg/l	48 hour	Fishes	

12.2. Persistence and degradability

Not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations



1.06

according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009
Revision date 26. April 2018 Version

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 04 gases in pressure containers (including halons) containing dangerous substances

Packaging waste type code

 $^{15\ 01\ 11}$ metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

SECTION 14: Transport information

14.1. UN number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

Additional information

UN number

Hazard identification No.

Classification code

Safety signs



(Kemler Code)

5F



Air transport - ICAO/IATA

Packaging instructions passenger 203 Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U MFAG 620



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009
Revision date 26. April 2018 Version 1.06

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). Decree No. 80/2014 Coll., amending the Decree No. 194/2001 Coll., laying down technical requirements for aerosol sprays as amended. Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

butane

Restriction	Conditions of restriction
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or,
	— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	 either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	— the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in
	Part 3 of Annex VI to Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles);
	(d) artists' paints covered by Directive 1999/45/EC. (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009
Revision date 26. April 2018 Version 1.06

butane

butane	
Restriction	Conditions of restriction
29	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	— the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Directive 1999/45/EC. (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
57	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package sizes greater than 350 g.
	2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:
	"— This product is not to be used under conditions of poor ventilation.— This product is not to be used for carpet laying.".

15.2. Chemical safety assessment

not available

SECTION 16: Other information

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.



according to Regulation (EC) No 1907/2006 (REACH) as amended

~:.				
	ICAN	711	aeros	\sim
311	ICUII	VII	acius	v

Creation date	26. April 2009							
Revision date	26. April 2018	Version	1.06					

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a.

P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockadeICAO International Civil Aviation OrganizationIMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level
NOEC No observed effect concentration
NOEL No observed effect level

OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon Oil aerosol

Creation date 26. April 2009 Revision date 26. April 2018

1.06 UVCB

Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

Very Persistent and very Bioaccumulative vPvB

Aerosol Flammable aerosol

Aquatic Acute Hazardous to the aquatic environment Aquatic Chronic Hazardous to the aquatic environment

Asp. Tox. Aspiration hazard Flam. Gas Flammable gas Flammable liquid Flam. Liq. Repr. Reproductive toxicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page